



Whale®

Easi-Slide Exterior Utilities Sockets



The widest range of recreational vehicle exterior utilities sockets on the market featuring unique Whale® Easi-Slide Lid.



8
sockets
available

Wide range of water, electrical and gas utilities sockets available

Whale's unique Easi-slide lid with streamlined design –

- No more lid flapping noise or damage
- Smooth easy slide open & close motion
- Secure click close feature protects internal parts when not in use

Ease of installation – can be either bonded or screwed into place

- Designed for bonding - Flat back with textured finish
- Clean finish - 'Snap through' screw holes prevent bonding agent from spilling through




- Sleek design - uniform look on the vehicle's exterior walls
- Comfortable to use
- Waterproof protection - IP45 rated
- High quality satin finish UV stabilised to prevent damage from sunlight

Lids available in 2 colour options- crisp white and soft grey



PROUD TO MANUFACTURE IN THE UK

1. Water In Socket



The easy way to supply your vehicle with fresh water. Includes sockets for exterior submersible pumps, mains water hook up or on board water pump. Use with cold freshwater only.

Ideal for use with

Watermaster® exterior water pump with Easi-Push Plug
Product Code - EP1612



Technical info:

Water In Socket Product Codes	Watermaster IC Socket – ES8005BR (Bulk Returnable Packaging)
Easi-Slide Lid Product Codes	AK1411B (Bulk Packaging) – Crisp White AK1412B (Bulk Packaging) – Soft Grey
Voltage	12V d.c.
Weight	0.19kg
Plumbing Connections	12mm male stem
Materials in Contact With Water	ABS, PP, EPDM, Nitrile, NBR, stainless steel
Compliance	Product complies with IP45

2. Water Out Socket - for connection to exterior shower



Cold only water outlet socket for hassle-free wash down. Easily connect Whale's Compact detachable exterior shower with easy-to-use trigger, to only use the water you need.

Ideal for use with


Whale Compact Shower with 2.6m hose
Product Codes -
SO4100R (Returnable Packaging)
SO4100B (Bulk Packaging)



Technical info:

Water Out Socket Product Codes	SO4000R (Returnable Packaging) SO4000B (Bulk Packaging)
Easi-Slide Lid Product Codes	AK1428B (Bulk Packaging) – Crisp White AK1448B (Bulk Packaging) – Soft Grey
Weight	0.58kg
Plumbing Connections	12mm female Quick Connect
Materials in Contact With Water	PP, ABS, Hostaform, stainless steel, NBR, reinforced PVC
Compliance	Product complies with IP45

3. Motorhome Filler Socket



Directly fill your on-board water tank with the Motorhome Filler Socket. The unique secure hose clip keeps the pump in place during filling. The tank fill design incorporates a lock to protect your water supply and a vent pipe to prevent airlocks. The Motorhome Filler Socket is suitable for use with any standard hose and should be used with cold freshwater only.

Ideal for use with


Superfil Pump Kit
Product Code -
GP1332



Technical info:

Motorhome Filler Socket Product Codes	SO2000R (Returnable Packaging) SO2000B (Bulk Packaging)
Easi-Slide Lid Product Codes	AK1432B (Bulk Packaging) – Crisp White AK1452B (Bulk Packaging) – Soft Grey
Weight	0.15kg
Plumbing Connections	40mm DIA pipe, 10mm DIA bleed pipe
Materials in Contact With Water	ABS
Compliance	Product complies with IP45

4. Motorhome Filler + 12v Power Socket



Unique 2 in 1 design includes a 12V pump power supply and Motorhome fill all in one socket. The secure hose clip keeps the pump in place during filling. The Motorhome Filler + 12v Power Socket incorporates a lock to protect your water supply and a vent pipe ensuring the tank is vented at all times, preventing airlocks. This socket is suitable for use with any standard hose and is to be used with cold freshwater only.

Ideal for use with


Superfil Pump Kit
Product Code -
GP1332



Technical info:

Motorhome Filler + 12v Power Socket Product Codes	SO2500R (Returnable Packaging) SO2500B (Bulk Packaging)
Easi-Slide Lid Product Codes	AK1432B (Bulk Packaging) – Crisp White AK1452B (Bulk Packaging) – Soft Grey
Voltage	12V d.c.
Weight	0.18kg
Plumbing Connections	40mm DIA pipe, 10mm DIA bleed pipe
Materials in Contact With Water	ABS
Compliance	Product complies with IP45

5. Mains Electric Out Socket




This easy access mains outlet socket includes a UK 3 pin which allows you to hook up electrical appliances to 13-amp rating such as power tools, lighting, TVs, or games consoles. Easi-Slide lid can be closed completely when in use, weather-proofing the unit against the elements.



Technical info:

Mains Electric Out Socket Product Codes	SO3000R (Returnable Packaging) SO3000B (Bulk Packaging)
Easi-Slide Lid Product Codes	AK1429B (Bulk Packaging) – Crisp White AK1449B (Bulk Packaging) – Soft Grey
Electrical spec	230V AC / 13Amp
Weight	0.25kg
Electrical Connections	JST plug (LP-03-1)
Compliance	Product complies with BS1363 and IP45

6. Multimedia 3 in 1 Socket



Entertainment on the go with the Whale Multimedia Socket. Supplies TV aerial and Satellite as well as providing a 12v d.c. outlet socket to power or charge your devices.



Technical info:

3-in-1 Multimedia Socket Product Codes	SO3500R (Returnable Packaging) SO3500B (Bulk Packaging)
Easi-Slide Lid Product Codes	AK1430B (Bulk Packaging) – Crisp White AK1450B (Bulk Packaging) – Soft Grey
Voltage	12V d.c., 10Amp
Weight	0.22KG
Electrical Connections	12V – spade connectors SAT & TV – threaded coaxial connections
Compliance	Product complies with IP45

7. Motor Mover Isolator Switch Socket



The Motor Mover Isolator Switch makes the vehicle motor mover ready saving dealer installation time and is easily accessible for the user.

i Technical info:

Isolator Switch Socket Product Codes	SO3200R (Returnable Packaging) SO3200B (Bulk Packaging)
Easi-Slide Lid Product Codes	AK1431B (Bulk Packaging) – Crisp White AK1451B (Bulk Packaging) – Soft Grey
Voltage	12 V d.c. to max 24 V d.c.
Max Continuous Operating Current	100A
Weight	0.28kg
Electrical Connections	M8 threaded connections
Compliance	Product complies with IP45

8. BBQ Outlet Socket



The gas BBQ outlet is ideal for supplying barbecues using your LPG (propane and butane) on board gas supply. With simple one-handed operation and straightforward connection, external gas appliances can be quickly connected to the gas tap. Safety coupling is included to ensure that gas can only be turned on when safety coupling is connected.

i Technical info:

BBQ Socket Product Codes	SO1000R (Returnable Packaging) SO1000B (Bulk Packaging) SO1010R (Returnable Packaging) – includes angled pipe
Easi-Slide Lid Product Codes	AK1427B (Bulk Packaging) – Crisp White AK1447B (Bulk Packaging) – Soft Grey
Working Pressures	4 bar max, 30mBar nominal working pressure
Weight	0.39kg
Supply System	LPG
Gas Connections	M14 x 1.5 threaded nut and compression olive for use with 8mm DIA gas pipe.
Compliance	Product complies with BS EN 1949 and IP45

Easi-Slide Lids

Supplied separately to the socket, Easi-Slide lids are available in 2 colour options; Crisp White and Soft Grey. Easy fit replacement lids are available to replace lost or broken covers without removing the entire socket or compromising the seal.



Meet the Designer

Andrew Peoples

In 2013, Andrew designed the popular Whale Easi-Slide Lid. Following on from the success of this product, he identified a gap in the market for a suite of sockets with an Easi-Slide lid that were suitable for all types of recreational vehicles including caravans, motorhomes and panel vans. From a gas BBQ point to an easy-to-use multimedia socket, Andrew has created this practical and aesthetically pleasing range of sliding sockets. One unique design to meet all your RV needs, wherever you go bringing sleek uniformity to vehicle's exterior.

©Copyright Whale® 2017 - All rights reserved. Reproduction in whole or in part without permission is prohibited.

WHALE®, is a registered trademark of Munster Simms Engineering Limited, Bangor, Northern Ireland (trading as Whale).

Whale's policy is one of continuous improvement and we reserve the right to change specifications without prior notice. Illustrations are for guidance purposes only. Neither the accuracy nor completeness of the information contained in any Product brochure is guaranteed by the Company and may be subject to change at its sole discretion.

PLEASE NOTE: All Whale BBQ Sockets must be installed and serviced by a qualified gas engineer in accordance with the appliance installation instructions. All Whale Mains Out Sockets must be installed by a qualified electrical engineer (in accordance with BS 7671, section 721 or IEC 60364-7-721 in the UK) in accordance with the appliance installation instructions.



For more information, contact your usual Whale representative today

Tel: +44 (0)28 9127 0531
+44 (0)845 217 2933

info@whalepumps.com
whalepumps.com